



2.0 FARMING OPERATION

2.1 LOCATION

The farmland is located in eastern Colorado and western Kansas (left).

All land is located within Cheyenne County, Colorado (red), Kit Carson County, Colorado, (blue), Sherman County, Kansas (yellow), Wallace County, Kansas (purple) and Logan County, Kansas (green) as pictured below:



According to the Weather Network, the average annual precipitation for the area is 392 mm. The below highlights important monthly statistics for the area:

Exhibit 1: Burlington, Colorado Climate Statistics

	Apr	May	Jun	Jul	Aug	Sep
Average high (degrees Fahrenheit)	64.4	73.4	84.2	91.4	87.8	78.8
Average low (degrees Fahrenheit)	33.8	44.6	53.6	59.0	57.2	48.2
Monthly precipitation (inches)	1.0	3.0	2.4	2.5	2.0	1.7

Source: The Weather Network

2.2 LEASE INFORMATION

100% of the land is leased to five local farming operations. Upon sale, the land can continue to be leased or can be farmed directly by the purchaser.

The Company operates a 75/25 crop sharing arrangement with tenants, allowing for greater upside in rent yields. Historically, HFUSI has averaged \$105/acre for wheat and \$168/acre for corn (irrigated and non-irrigated combined).


The following table highlights the per acre revenue by crop type for the last three years:


Exhibit 2: Revenue Per Acre by Crop Type

	2009	2010	2011
Corn	\$180.81	\$159.39	\$129.84
Wheat	\$113.34	\$104.41	\$97.78


Source: Provide by Management

Appendix B: HFUSI Map






Aerial Map



map center: 39° 29' 37.49, 102° 5' 58.83

scale: 10367

28-6S-42W
Kit Carson County
Colorado



10/28/2011

Maps provided by:





©AgriData, Inc. 2011

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Colorado**
 County: **Kit Carson**
 Location: **028-006S-042W**
 Township: **Burlington**
 Acres: **469.1**
 Date: **10/29/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Com Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
43	Kuma-Keith silt loams, 0 to 2 percent slopes	374.6	79.8%		IIc	Ile	7	175	900	2000	38	100	1000	2500	38	80
55	Norka-Colby silt loams, 3 to 5 percent slopes	76.6	16.3%		IVe	IVe	4.5	150	700	1700			800	2200	27	50
52	Norka silt loam, 0 to 3 percent slopes	17.4	3.7%		IIle	Ile	6	160	800	1800			1000	2500	35	70
56	Norka-Colby silt loams, 5 to 15 percent slopes	0.5	0.1%		Vle	Vle										
Weighted Average							6.5	170	861.9	1939.7	30.3	79.8	965.4	2446.1	36	74.6


Aerial Map



map center: 39° 25' 33.32, 102° 6' 1.22

scale: 61847

21-7S-42W
Kit Carson County
Colorado



10/28/2011

Maps provided by:





©AgriData, Inc. 2011

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Colorado**
 County: **Kit Carson**
 Location: **021-007S-042W**
 Township: **Burlington**
 Acres: **478.4**
 Date: **10/28/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Corn Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
43	Kuma-Keith silt loams, 0 to 2 percent slopes	396	82.8%	Yellow	Ilc	Ile	7	175	900	2000	38	100	1000	2500	38	80
55	Norka-Colby silt loams, 3 to 5 percent slopes	50.3	10.5%	Cyan	IVe	IVe	4.5	150	700	1700			800	2200	27	50
26	Goshen silt loam, 0 to 2 percent slopes, rarely flooded	21.8	4.6%	Yellow	Ilc	Ile	7	175	900	2000			1000	2500	38	80
69	Pleasant silty clay loam, 0 to 1 percent slopes	10.3	2.2%	Cyan	IVw										25	
Weighted Average							6.6	168.7	860.1	1926.5	31.5	82.8	958	2416	36.6	75.2


Aerial Map



map center: 39° 24' 34.96, 102° 12' 44.42

scale: 59960

28-7S-43W
Kit Carson County
Colorado



10/28/2011

Maps provided by:





©AgriData, Inc. 2011

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Colorado**
 County: **Kit Carson**
 Location: **032-007S-043W**
 Township: **Burlington**
 Acres: **675.7**
 Date: **10/30/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Corn Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
52	Norka silt loam, 0 to 3 percent slopes	561	83.0%		IIIe	Ile	6	160	800	1800			1000	2500	35	70
26	Goshen silt loam, 0 to 2 percent slopes, rarely flooded	43.1	6.4%		IIc	Ile	7	175	900	2000			1000	2500	38	80
43	Kuma-Keith silt loams, 0 to 2 percent slopes	30	4.4%		IIc	Ile	7	175	900	2000	38	100	1000	2500	38	80
55	Norka-Colby silt loams, 3 to 5 percent slopes	24.6	3.6%		IVe	IVe	4.5	150	700	1700			800	2200	27	50
56	Norka-Colby silt loams, 5 to 15 percent slopes	17	2.5%		Vle	Vle										
Weighted Average							5.9	157.1	786.4	1771.2	1.7	4.4	966.8	2424.2	34.1	68.5


Aerial Map



map center: 39° 18' 33.38, 102° 11' 40.93

scale: 61662

34-8S-43W
Kit Carson County
Colorado



1/13/2012

Maps provided by:





©AgriData, Inc. 2012

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Colorado**
 County: **Kit Carson**
 Location: **034-008S-043W**
 Township: **Burlington**
 Acres: **657.8**
 Date: **10/29/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Corn Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
52	Norka silt loam, 0 to 3 percent slopes	281.2	42.7%		IIIe	Ile	6	160	800	1800			1000	2500	35	70
43	Kuma-Keith silt loams, 0 to 2 percent slopes	270.2	41.1%		IIc	Ile	7	175	900	2000	38	100	1000	2500	38	80
55	Norka-Colby silt loams, 3 to 5 percent slopes	47.1	7.2%		IVe	IVe	4.5	150	700	1700			800	2200	27	50
76	Satanta loam, 1 to 3 percent slopes	36.2	5.5%		IIIe	Ile	6	160	900	1800	35	90	1000	2500	35	70
56	Norka-Colby silt loams, 5 to 15 percent slopes	18.2	2.8%		VIe	VIe										
26	Goshen silt loam, 0 to 2 percent slopes, rarely flooded	4.9	0.7%		IIc	Ile	7	175	900	2000			1000	2500	38	80
Weighted Average							6.1	161.1	817.7	1826	17.5	46	957.6	2408.4	34.7	70.8


Aerial Map



map center: 39° 16' 7.05, 102° 35' 11.17

scale: 27619

18-9S-46W
Kit Carson County
Colorado



1/11/2012

Maps provided by:





©AgriData, Inc. 2012

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Colorado**
 County: **Kit Carson**
 Location: **017-009S-046W**
 Township: **Stratton**
 Acres: **602.8**
 Date: **1/11/2012**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay irrigated	Corn Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
74	Richfield silty clay loam, dry, 0 to 2 percent slopes, eroded	186.9	31.0%		IIIe	Ile	5	140	700	1800	32	80	800	2200	30	60
71	Rago-Weld silt loams, 0 to 2 percent slopes	183.1	30.4%		IIc	Ile	7	175	900	2000		120	1000	2500	38	80
52	Norka silt loam, 0 to 3 percent slopes	57.3	9.5%		IIIe	Ile	6	160	800	1800			1000	2500	35	70
16	Colby silt loam, 3 to 5 percent slopes	40.7	6.7%		IVe	IVe	3.5	125	550	1450	25	65	750	1800	23	50
17	Colby silt loam, 5 to 15 percent slopes	29.3	4.9%		Vle	Vle										
55	Norka-Colby silt loams, 3 to 5 percent slopes	24	4.0%		IVe	IVe	4.5	150	700	1700			800	2200	27	50
19	Colby silty clay loam, dry, 1 to 3 percent slopes	18.3	3.0%		IIIe	IIIe	4.5	140	650	1650	30	70	1000	2000	26	60
15	Colby silt loam, 1 to 3 percent slopes	13.9	2.3%		IIIe	IIIe	4.5	140	650	1650	30	70	1000	2000	26	60
43	Kuma-Keith silt loams, 0 to 2 percent slopes	8.3	1.4%		IIc	Ile	7	175	900	2000	38	100	1000	2500	38	80
53	Norka silt loam, 1 to 3 percent slopes, eroded	8.2	1.4%		IIIe	Ile	4.5	140	650	1650	30	70	850	2400	27	60
56	Norka-Colby silt loams, 5 to 15 percent slopes	7.8	1.3%		Vle	Vle										
69	Pleasant silty clay loam, 0 to 1 percent slopes	7.5	1.2%		IVw										25	
26	Goshen silt loam, 0 to 2 percent slopes, rarely flooded	6.5	1.1%		IIc	Ile	7	175	900	2000			1000	2500	38	80
54	Norka-Colby silt loams, 0 to 3 percent slopes	6.5	1.1%		IIIe	Ile	6	160	800	1800			1000	2500	35	70
57	Norka-Colby-Weld silt loams, 3 to 5 percent slopes	4.2	0.7%		IVe	IVe	4.5	150	600	1600	27	80	700	2000	25	50
96	Weld-Norka silt loams, 0 to 3 percent slopes	0.3	0.0%		IIIe	Ile	5.5	160	750	1800	33	100	900	2300	33	65
Weighted Average							5.2	142.7	710.5	1693.7	14.3	72.3	835	2131.7	30.4	62.1


Aerial Map



map center: 39° 10' 10.14, 102° 2' 3.4

scale: 61109

20-10S-42W
Sherman County
Kansas



1/11/2012



Maps provided by:



©AgriData, Inc. 2012

www.AgriDataInc.com

Soils Map




State: **Kansas**
 County: **Sherman**
 Location: **025-010S-042W**
 Township: **Burlington**
 Acres: **1455.3**
 Date: **1/13/2012**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Corn Irrigated	Corn silage Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
1422	Goshen silt loam, rarely flooded	353.1	24.3%		IIc	I											
1857	Ulysses silt loam, 1 to 3 percent slopes	251.8	17.3%		IIe	IIe											
1580	Colby silt loam, 5 to 15 percent slopes	177.6	12.2%		VIe												
1655	Kuma-Keith silt loams, 0 to 2 percent slopes	112.3	7.7%		IIc	IIe	7	175		900	2000	38	100	1000	2500	38	80
1870	Ulysses-Keith silt loams, 0 to 1 percent slopes	110.2	7.6%		IIc	I											
1579	Colby silt loam, 3 to 5 percent slopes	101.3	7.0%		IVe	IVe	3.5	125		550	1450	25	65	750	1800	23	50
1619	Keith silt loam, 0 to 1 percent slopes	69.4	4.8%		IIc	I											
1592	Colby-Ulysses complex, 3 to 5 percent slopes, eroded	68.8	4.7%		IVe	IIIe											
52	Norka silt loam, 0 to 3 percent slopes	33.5	2.3%		IIIe	IIe	6	160		800	1800			1000	2500	35	70
56	Norka-Colby silt loams, 5 to 15 percent slopes	33.3	2.3%		VIe	VIe											
16	Colby silt loam, 3 to 5 percent slopes	33.1	2.3%		IVe	IVe	3.5	125		550	1450	25	65	750	1800	23	50
1741	Pleasant silty clay loam, ponded	29.7	2.0%		IVw												
43	Kuma-Keith silt loams, 0 to 2 percent slopes	21.4	1.5%		IIc	IIe	7	175		900	2000	38	100	1000	2500	38	80
1649	Kimst loam, 1 to 5 percent slopes	19.3	1.3%		IVe	IVe	3.5	120		500	1400	22	60	700	1700	20	55
1859	Ulysses silt loam, 3 to 6 percent slopes	16.4	1.1%		IIIe	IIIe											
1620	Keith silt loam, 1 to 3 percent slopes	10.4	0.7%		IIe	IIe											
26	Goshen silt loam, 0 to 2 percent slopes, rarely flooded	8.2	0.6%		IIc	IIe	7	175		900	2000			1000	2500	38	80
1761	Richfield silt loam, 0 to 1 percent slopes	2.7	0.2%		IIc	I											
36	Kimst loam, 1 to 5 percent slopes	1.1	0.1%		IVe	IVe	3.5	120		500	1400	22	60	700	1700	20	55
70	Rago silt loam, 0 to 2 percent slopes, occasionally flooded	0.6	0.0%		IIIw	IIw	6	165	26	750	1800		115	900	2300	35	70
1857	Ulysses silt loam, 1 to 3 percent slopes	0.4	0.0%		IIIe	IIe											
1422	Goshen silt loam, rarely flooded	0.3	0.0%		IIIc	IIe											
1619	Keith silt loam, 0 to 1 percent slopes	0.1	0.0%		IIIc	I											
1579	Colby silt loam, 3 to 5 percent slopes	0.1	0.0%		VIe	IVe											
1580	Colby silt loam, 5 to 15 percent slopes	0.1	0.0%		VIe												
1649	Kimst loam, 1 to 5 percent slopes	0.1	0.0%		IVe	IVe	3.5	120		500	1400	22	60	700	1700	20	55
Weighted Average							1.2	34.1	0	164.8	391.8	6.1	16.1	200.5	493.7	6.9	14.9


Aerial Map



map center: 39° 5' 56.1, 102° 8' 19.65

scale: 62256

17-11S-42W
Kit Carson County
Colorado



Maps provided by:





©AgriData, Inc. 2011

www.AgriDataInc.com

10/29/2011

Soils Map





State: **Colorado**
 County: **Kit Carson**
 Location: **021-011S-042W**
 Township: **Burlington**
 Acres: **1201.4**
 Date: **10/29/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay irrigated	Corn Irrigated	Corn silage Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
52	Norka silt loam, 0 to 3 percent slopes	696	57.9%		Ille	Ile	6	160		800	1800			1000	2500	35	70
26	Goshen silt loam, 0 to 2 percent slopes, rarely flooded	254.8	21.2%		Ilc	Ile	7	175		900	2000			1000	2500	38	80
43	Kuma-Keith silt loams, 0 to 2 percent slopes	140	11.7%		Ilc	Ile	7	175		900	2000	38	100	1000	2500	38	80
69	Pleasant silty clay loam, 0 to 1 percent slopes	35.7	3.0%		IVw												25
91	Wages loam, 2 to 6 percent slopes	33.3	2.8%		IVe	IVe	4.5	145		600	1500	25	70	700	2000	27	50
54	Norka-Colby silt loams, 0 to 3 percent slopes	33.1	2.8%		Ille	Ile	6	160		800	1800			1000	2500	35	70
14	Canyon-Rock outcrop complex, 5 to 60 percent slopes	5.9	0.5%		Vlls												
70	Rago silt loam, 0 to 2 percent slopes, occasionally flooded	2.6	0.2%		Illw	Ilw	6	165	26	750	1800		115	900	2300	35	70
Weighted Average							6.1	159.1	0.1	800	1796.2	5.1	13.9	957.4	2400.6	35.3	70.4

Soils Map




State: **Colorado**
 County: **Kit Carson**
 Location: **018-011S-043W**
 Township: **Burlington**
 Acres: **2133.5**
 Date: **1/11/2012**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Corn Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sugar beets Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
43	Kuma-Keith silt loams, 0 to 2 percent slopes	448.8	21.0%	[Yellow]	IIc	Ile	7	175	900	2000	38	100		1000	2500	38	
40	Kimst-Wages sandy clay loams, 1 to 6 percent slopes	324.1	15.2%	[Cyan]	IVe	IVe	3.5	120	500	1400	22	60		700	1700	20	
52	Norka silt loam, 0 to 3 percent slopes	276.2	12.9%	[Dark Red]	IIIe	Ile	6	160	800	1800				1000	2500	35	
76	Satanta loam, 1 to 3 percent slopes	213.8	10.0%	[Dark Red]	IIIe	Ile	6	160	900	1800	35	90		1000	2500	35	
55	Norka-Colby silt loams, 3 to 5 percent slopes	182.7	8.6%	[Cyan]	IVe	IVe	4.5	150	700	1700				800	2200	27	
26	Goshen silt loam, 0 to 2 percent slopes, rarely flooded	174	8.2%	[Yellow]	IIc	Ile	7	175	900	2000				1000	2500	38	
16	Colby silt loam, 3 to 5 percent slopes	171	8.0%	[Cyan]	IVe	IVe	3.5	125	550	1450	25	65		750	1800	23	
82	Stoneham-Kimst-Fort Collins loams, 5 to 15 percent slopes	115.5	5.4%	[Green]	Vle	Vle											
78	Satanta-Sampson, loams, 0 to 3 percent slopes, rarely flooded	80.4	3.8%	[Dark Red]	IIIc	Ile	6	160	900	1800	35	90		1000	2500	35	
15	Colby silt loam, 1 to 3 percent slopes	46.2	2.2%	[Dark Red]	IIIe	IIIe	4.5	140	650	1650	30	70		1000	2000	26	
69	Pleasant silty clay loam, 0 to 1 percent slopes	43.9	2.1%	[Cyan]	IVw												25
56	Norka-Colby silt loams, 5 to 15 percent slopes	20.5	1.0%	[Green]	Vle	Vle											
91	Wages loam, 2 to 6 percent slopes	19.4	0.9%	[Cyan]	IVe	IVe	4.5	145	600	1500	25	70		700	2000	27	
90	Wages loam, 0 to 2 percent slopes	9	0.4%	[Dark Red]	IIIc	Ile	5.5	155	800	1700	34	80		900	2400	33	
75	Sampson loam, 0 to 2 percent slopes, rarely flooded	8	0.4%	[Dark Red]	IIIc	Ile	4	140	900	1800	30	90	24	1000	2500	25	
Weighted Average							5	140.5	696.9	1603.4	19.3	50.6	0.1	830.1	2070.7	29.2	


Aerial Map



map center: 39° 8' 9.25, 102° 25' 2.1

scale: 62661

34-10S-45W
Kit Carson County
Colorado



10/28/2011

Maps provided by:





©AgriData, Inc. 2011

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Colorado**
 County: **Kit Carson**
 Location: **034-010S-045W**
 Township: **Burlington**
 Acres: **801.8**
 Date: **10/30/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Corn Irrigated	Corn silage Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
74	Richfield silty clay loam, dry, 0 to 2 percent slopes, eroded	231.2	28.8%	[Red]	IIle	Ile	5	140		700	1800	32	80	800	2200	30	
95	Weld silt loam, 0 to 2 percent slopes	213.6	26.6%	[Red]	IIlc	Ile	6	170		800	2000	35	105	950	2500	35	
29	Iliff silt loam, 0 to 2 percent slopes	168.7	21.0%	[Red]	IIIs	IIle	5	140		550	1600	35	80	800	2000	30	
40	Kimst-Wages sandy clay loams, 1 to 6 percent slopes	40.9	5.1%	[Cyan]	IVe	IVe	3.5	120		500	1400	22	60	700	1700	20	
13	Canyon gravelly loam, 3 to 15 percent slopes	38.2	4.8%	[Green]	VIs	Vle											
39	Kimst-Richfield, eroded complex, 1 to 5 percent slopes	37	4.6%	[Cyan]	IVe	IIle	3.5	120		500	1400	22	60	700	1700	20	
78	Satanta-Sampson, loams, 0 to 3 percent slopes, rarely flooded	21.5	2.7%	[Red]	IIlc	Ile	6	160		900	1800	35	90	1000	2500	35	
70	Rago silt loam, 0 to 2 percent slopes, occasionally flooded	18.9	2.4%	[Red]	IIlw	IIlw	6	165	26	750	1800		115	900	2300	35	
58	Nunn sandy clay loam, 1 to 3 percent slopes, eroded	12.5	1.6%	[Red]	IIle	Ile	5.5	155		700	1700			800	2200	32	
63	Otero fine sandy loam, 1 to 20 percent slopes, moist	9.8	1.2%	[Green]	Vle	Vle											
82	Stoneham-Kimst-Fort Collins loams, 5 to 15 percent slopes	9.4	1.2%	[Green]	Vle	Vle											
91	Wages loam, 2 to 6 percent slopes	0.1	0.0%	[Cyan]	IVe	IVe	4.5	145		600	1500	25	70	700	2000	27	
Weighted Average							4.8	137.3	0.6	631.9	1641.2	29	78.8	780.4	2041.4	28.5	5


Aerial Map



map center: 39° 3' 2.23, 102° 26' 15.91

scale: 63391

3-12S-45W
Cheyenne County
Colorado



10/28/2011

Maps provided by:





©AgriData, Inc. 2011

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Colorado**
 County: **Cheyenne**
 Location: **003-012S-045W**
 Township: **Cheyenne Wells**
 Acres: **473.4**
 Date: **10/28/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay irrigated	Cool season grasses	Corn Irrigated	Corn silage irrigated	Dry pinto beans	Dry pinto beans irrigated	Grain sorghum	Grain sorghum irrigated	Oats irrigated	Sorghum silage irrigated	Sugar beets irrigated	Sur
20	Keith-Ulysses silt loams, 1 to 4 percent slopes	172.7	36.5%	[Red]	Ille	Ile												
39	Satanta-Colby complex, 3 to 5 percent slopes	116	24.5%	[Red]	Ille	Ille	5		130				25	110		24	20	
74	Richfield silty clay loam, dry, 0 to 2 percent slopes, eroded	67.8	14.3%	[Red]	Ille	Ile	5		140		700	1800	32	80				
91	Wages loam, 2 to 6 percent slopes	28.9	6.1%	[Cyan]	Ive	Ive	4.5		145		600	1500	25	70				
54	Wiley complex, 0 to 3 percent slopes, eroded	26.3	5.6%	[Cyan]	Ive	Ile	5.5		125				18	80				19
95	Weld silt loam, 0 to 2 percent slopes	12.4	2.6%	[Red]	Ille	Ile	6		170		800	2000	35	105				
39	Kimst-Richfield, eroded complex, 1 to 5 percent slopes	11.3	2.4%	[Cyan]	Ive	Ille	3.5		120		500	1400	22	60				
36	Kimst loam, 1 to 5 percent slopes	10	2.1%	[Cyan]	Ive	Ive	3.5		120		500	1400	22	60				
15	Colby silt loam, 1 to 3 percent slopes	8.5	1.8%	[Red]	Ille	Ille	4.5		140		650	1650	30	70				
10	Colby-Satanta complex, 5 to 12 percent slopes	5.6	1.2%	[Grey]	Ve	Vle												
70	Rago silt loam, 0 to 2 percent slopes, occasionally flooded	5	1.1%	[Red]	Illw	Ilw	6		165	26	750	1800		115				
22	Eckley-Wages complex, 4 to 20 percent slopes	3.6	0.8%	[Green]	Vle	Vle												
17	Haverson loam, 0 to 1 percent slopes	2.1	0.4%	[Cyan]	IVw	Ilw	5	2.5	125				19	70	60			19
90	Wages loam, 0 to 2 percent slopes	1.9	0.4%	[Red]	Ille	Ile	5.5		155		800	1700	34	80				
17	Colby silt loam, 5 to 15 percent slopes	0.9	0.2%	[Green]	Vle	Vle												
52	Norka silt loam, 0 to 3 percent slopes	0.4	0.1%	[Red]	Ille	Ile	6		160		800	1800						
Weighted Average							3	0	83.1	0.3	204	522	15.9	55.7	0.2	5.9	6	


Aerial Map



map center: 39° 1' 27.25, 102° 13' 50.7

scale: 64494

9-12S-43W
Cheyenne County
Colorado



Maps provided by:





©AgriData, Inc. 2011

www.AgriDataInc.com

10/29/2011

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Colorado**
 County: **Cheyenne**
 Location: **013-012S-043W**
 Township: **Cheyenne Wells**
 Acres: **3045.2**
 Date: **10/29/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Barley	Barley Irrigated	Corn Irrigated	Corn silage Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sorghum silage Irrigated	Sugar beets Irrigated	Sunflowers	Sun Irrig
38	Satanta loam, 0 to 3 percent slopes	901.3	29.6%		IIIe	Ile	5			130				25	110	24	20		
19	Keith-Richfield silt loams, 0 to 2 percent slopes	635.6	20.9%		IIIe	Ile													
39	Satanta-Colby complex, 3 to 5 percent slopes	281.3	9.2%		IIIe	Ile	5			130				25	110	24	20		
20	Keith-Ulysses silt loams, 1 to 4 percent slopes	254.1	8.3%		IIIe	Ile													
23	Kim-Canyon loams, 2 to 5 percent slopes	202.9	6.7%		Vs	Ile	2.5		50										
21	Kim loam, 1 to 3 percent slopes, eroded	141.2	4.6%		VIe	Ile	3.5		60	85	10			13	60				
28	Manter sandy loam, 3 to 5 percent slopes	141.1	4.6%		IVe	IIIe	4.5	30	60	120	15			15	70		16		
10	Colby-Satanta complex, 5 to 12 percent slopes	133.5	4.4%		Ve	VIe													
37	Sampson loam, 0 to 2 percent slopes	100.9	3.3%		IIIc	Ile	4			140		900	1800	30	90		24	1000	
16	Goshen silt loam, 0 to 1 percent slopes	99.2	3.3%		IIIc	I				120				35	105		24		
8	Colby silt loam, 1 to 4 percent slopes, eroded	79.4	2.6%		IVe	Ile	4			120				15	90		18		
41	Stoneham loam, 0 to 3 percent slopes	26.4	0.9%		IIIe	Ile	5	17	50	100	20			18	90		17		
53	Weld silt loam, 0 to 1 percent slopes	18.4	0.6%		IIIe	IIIs	6			155	24				160		24		
1	Apishapa family, ponded	18.2	0.6%		VIw	VIw													
54	Wiley complex, 0 to 3 percent slopes, eroded	11.7	0.4%		IVe	Ile	5.5			125				18	80		19		
Weighted Average							2.8	1.5	9.3	73.9	1.5	29.7	59.4	13.8	59.5	9.3	10.9	33	

Aerial Map




map center: 39° 0' 34.57, 102° 8' 16.86
scale: 63860

Maps provided by:



©AgriData, Inc. 2011
www.AgriDataInc.com



17-12S-42W
Cheyenne County
Colorado



10/29/2011

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map



State: **Colorado**
 County: **Cheyenne**
 Location: **017-012S-042W**
 Township: **Cheyenne Wells**
 Acres: **3608.9**
 Date: **10/29/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.


Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Barley Irrigated	Corn Irrigated	Corn silage Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sorghum silage Irrigated	Sugar beets Irrigated	Sunflowers	Sunflower Irrigated
38	Satanta loam, 0 to 3 percent slopes	1393.3	38.6%	Red	IIIe	Ile	5		130				25	110	24	20		
21	Kim loam, 1 to 3 percent slopes, eroded	591.9	16.4%	Green	VIe	Ile	3.5	60	85	10			13	60				
19	Keith-Richfield silt loams, 0 to 2 percent slopes	433.5	12.0%	Red	IIIe	Ile												
37	Sampson loam, 0 to 2 percent slopes	350.9	9.7%	Red	IIIc	Ile	4		140		900	1800	30	90		24	1000	250
39	Satanta-Colby complex, 3 to 5 percent slopes	259.5	7.2%	Red	IIIe	Ile	5		130				25	110	24	20		
5	Ascalon-Eckley complex, 5 to 20 percent slopes	215.2	6.0%	Green	VIe	VIe												
23	Kim-Canyon loams, 2 to 5 percent slopes	124.9	3.5%	Grey	Vs	Ile	2.5	50										
16	Goshen silt loam, 0 to 1 percent slopes	90.9	2.5%	Red	IIIc	I			120				35	105		24		
20	Keith-Ulysses silt loams, 1 to 4 percent slopes	76.2	2.1%	Red	IIIe	Ile												
53	Weld silt loam, 0 to 1 percent slopes	39.4	1.1%	Red	IIIe	IIs	6		155	24				160		24		
8	Colby silt loam, 1 to 4 percent slopes, eroded	24.3	0.7%	Cyan	IVe	Ile	4		120				15	90		18		
54	Wiley complex, 0 to 3 percent slopes, eroded	6	0.2%	Cyan	IVe	Ile	5.5		125				18	80		19		
1	Apishapa family, ponded	2.9	0.1%	Green	VIw	VIw												
Weighted Average							3.4	11.6	92.9	1.9	87.3	174.6	17.5	74.1	11	12.5	97	242

Aerial Map



map center: 39° 14' 30.98, 102° 2' 43.77
scale: 9906

30-9S-42W
Sherman County
Kansas



1/22/2012

Maps provided by:




©AgriData, Inc. 2012

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Kansas**
 County: **Sherman**
 Location: **030-009S-042W**
 Township: **Stateline**
 Acres: **130**
 Date: **1/22/2012**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Alfalfa hay Irrigated	Corn Irrigated	Dry pinto beans	Dry pinto beans Irrigated	Grain sorghum	Grain sorghum Irrigated	Sunflowers	Sunflowers Irrigated	Wheat	Wheat Irrigated
1655	Kuma-Keith silt loams, 0 to 2 percent slopes	108.7	83.5%		Ilc	Ile	7	175	900	2000	38	100	1000	2500	38	80
1761	Richfield silt loam, 0 to 1 percent slopes	19.9	15.3%		Ilc	I										
43	Kuma-Keith silt loams, 0 to 2 percent slopes	1	0.8%		Ilc	Ile	7	175	900	2000	38	100	1000	2500	38	80
1580	Colby silt loam, 5 to 15 percent slopes	0.4	0.3%		Vle											
Weighted Average							5.9	147.5	758.7	1686	32	84.3	843	2107.5	32	67.4


Aerial Map



map center: 39° 0' 35.42, 101° 58' 15.05

scale: 61127

15-12S-42W
Wallace County
Kansas



10/29/2011

Maps provided by:




©AgriData, Inc. 2011

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map




State: **Kansas**
 County: **Wallace**
 Location: **015-012S-042W**
 Township: **Weskan**
 Acres: **1360.2**
 Date: **10/29/2011**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Corn Irrigated	Alfalfa hay Irrigated	Sunflowers	Sunflowers Irrigated	Winter wheat	Corn	Grain sorghum	Grain sorghum Irrigated	Winter wheat Irrigated	Alfalfa hay	Corn silage Irrigated	Smooth brome grass Irrigated
1857	Ulysses silt loam, 1 to 3 percent slopes	848.7	62.4%		IIIe	Ile	130	5			22		26	110	50		17	
1856	Ulysses silt loam, 0 to 1 percent slopes	166.4	12.2%		IIIc	I	160	6	1200	1650	30	45	28	115	55		24	
1579	Colby silt loam, 3 to 5 percent slopes	104.3	7.7%		Vle	IVe	95	4			17		20	85	40			
1619	Keith silt loam, 0 to 1 percent slopes	93.1	6.8%		IIIc	I	170	5	1550	1900	35	55	35	110	60	2		
1560	Bridgeport silt loam, 2 to 5 percent slopes	54.8	4.0%		IIIe	IIIe	120	6			24		35	110	55		22	10
1741	Pleasant silty clay loam, ponded	50.8	3.7%		IVw						25		32					
1859	Ulysses silt loam, 3 to 6 percent slopes	23.3	1.7%		IVe	IIIe	140	4			20		22	90	45			
1422	Goshen silt loam, rarely flooded	18	1.3%		IIIc	Ile	170	5	1550	1900	35	45	35	100	60			
1692	Midway clay, 7 to 30 percent slopes	0.6	0.0%		Vle	Vle					10		10					
1580	Colby silt loam, 5 to 15 percent slopes	0.2	0.0%		Vle						16							
Weighted Average							128.9	4.9	272	355.2	23.8	9.8	27	103.9	48.8	0.1	14.4	0.4


Aerial Map



map center: 39° 5' 41.16, 101° 17' 53.31

scale: 60926

15-11S-36W
Logan County
Kansas



1/11/2012

Maps provided by:





©AgriData, Inc. 2012

www.AgriDataInc.com

Field borders provided by Farm Service Agency as of 5/21/2008. Aerial photography provided by Aerial Photography Field Office.

Soils Map



State: **Kansas**
 County: **Logan**
 Location: **034-011S-036W**
 Township: **Winona**
 Acres: **1783**
 Date: **1/11/2012**



Fsa borders provided by the Farm Service Agency as of May 23, 2008.
 Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class	Irr Class	Corn Irrigated	Corn silage Irrigated	Winter wheat	Winter wheat Irrigated	Grain sorghum	Grain sorghum Irrigated	Alfalfa hay Irrigated	Alfalfa hay
1619	Keith silt loam, 0 to 1 percent slopes	998.8	56.0%	Yellow	Ilc	I	180		40	70	45	115	6	2
1856	Ulysses silt loam, 0 to 1 percent slopes	493.9	27.7%	Yellow	Ilc	I	165	24	35	55	40	115	6	
1857	Ulysses silt loam, 1 to 3 percent slopes	229.4	12.9%	Yellow	Ile	Ile	160	17	30	50	38	110	5	
1580	Colby silt loam, 5 to 15 percent slopes	39.7	2.2%	Green	Vle				16					
1868	Ulysses-Colby silt loams, 3 to 6 percent slopes, eroded	18.6	1.0%	Cyan	IVe	IIIe			21		30			
1741	Pleasant silty clay loam, ponded	2.6	0.1%	Cyan	IVw				25		32			
Weighted Average							167.1	8.8	36.6	60.9	41.5	110.4	5.7	1.1